

Rotherham Schools

| Discipline | Period | 7. Meadowview | |
|--|--------|---------------|---------------|
| | | Current | |
| Fire Alarm System Maintenance (File 3) | A | 03/08/2018 | |
| Fire Door Inspection (File 3) | 6M | 10/05/2018 | |
| Fire Dampers (File 3) | A | 31/10/2018 | |
| Sprinklers Quarterly (File 3) | QU | N/A | |
| Sprinklers 3 Yearly (File 3) | 3Y | N/A | |
| Fire Extinguisher Maintenance (File 3) | A | 18/08/2018 | |
| Emergency Lighting (File 3) | A | 06/03/2018 | |
| Fixed Electrical Wiring Test (File 4) | 5Y | 25/08/2021 | |
| Portable Appliance Tests (File 4) | A | 22/02/2018 | |
| Distribution Boards (File 4) | A | 08/08/2018 | |
| Lightning Conductor-11 Monthly (File 4) | 11M | 21/01/2018 | |
| Ambirads | A | N/A | |
| Catering Equipment | A | 02/08/2018 | |
| Gas Fired W/Htr (File 5) | A | 06/05/2018 | |
| Gas Supplies and Installation (File12) | A | 06/09/2018 | |
| Gas Tightness Test (File 5) | 5Y | 13/03/2022 | |
| Boiler Annual Service (File 5) | A | 06/05/2018 | 06/05/2018 |
| Kitchen Ventilation - Ductwork Inspection (File 7) | A | 21/02/2018 | |
| Lift maintenance (File 8) | QU | 02/02/2018 | |
| Insurance Inspection Passenger Lifts (File 8) | 6M | 07/03/2018 | |
| Insurance Inspection Goods Lifts (File 8) | A | N/A | |
| Insurance Inspection Lifting Beam (File 8) | A | 05/09/2018 | |
| Insurance Inspection Hoist | 6M | N/A | |
| Inspection Pressure Vessels (PSSR) (File 10) | 26M | 18/04/2018 | |
| Pressure Release Valve Inspection (File 10) | 26M | 18/12/2017 | ac 18/12/2017 |
| Insurance Fume Cupboard Inspection | A | N/A | |
| Insurance LEV Inspection | A | N/A | |
| Air Conditioning | A | 21/04/2018 | |
| Cable Based (Mansafe) Fall Protection | A | 24/08/2018 | |
| Anchor Points (Eyebolts) Fall Protection | A | N/A | |
| Cold Rooms | A | N/A | |